

INDEX MAPS.

T. 10 N, R. 5 E. 2nd Mer.

	388	388	388	387	387	387						
390	6	414	5	408	4	404	3	399	2	395	1	386
	414	414	408	408	403	403	399	399	394	394		
390	7	413	8	407	9	403	10	399	11	394	12	386
	413	412	407	407	402	402	398	398	394	394		
390	18	412	17	406	16	402	15	398	14	393	13	386
	412	411	406	406	402	402	397	397	393	393		
389	19	411	20	406	21	401	22	397	23	393	24	385
	410	410	405	405	401	401	396	396	392	392		
389	30	410	29	405	28	401	27	396	26	392	25	385
	409	409	404	404	400	400	396	396	391	391		
389	31	408	32	404	33	400	34	395	35	391	36	384
	384	384	384	384	383	383	383	383	383	383		

T. 11 N, R. 5 E. 2nd Mer.

	423	422	422	422	421	421						
425	6	448	5	442	4	438	3	434	2	430	1	421
	449	448	442	442	438	438	433	433	429	429		
425	7	448	8	442	9	437	10	433	11	429	12	420
	447	447	441	441	437	437	433	433	429	429		
424	18	446	17	441	16	437	15	432	14	428	13	420
	446	446	440	440	436	436	432	432	428	428		
424	19	445	20	440	21	436	22	432	23	427	24	420
	444	445	440	440	435	435	431	431	427	427		
423	30	444	29	439	28	435	27	431	26	427	25	419
	443	444	439	439	435	435	430	430	426	426		
423	31	443	32	438	33	434	34	430	35	426	36	419
	448	448	418	418	417	417	417	417	417	417		

(F) The figures on the lines refer to the page.

417

ownship N. M. North, Range N.^o 3 East T.^o Mer. Indiana

South Boundary. var 6.45' E

- West On S. boundary of Sec. 36, T.M. N. R. 3 E.
- 40.00 Set the q^r. Sec. post, from which
a Sugar 22 in. dia. bran S 43° E 22 m. dist. of
a Dogwood 6 " " " N 89° W 31 "
- 49.74 a Poplar 30 "
- 80.00 Set a post Cor. to Sec. 35 & 36, from which
a Beech 6 in. dia. bran S 2 E 11 m. dist. of
a Do 12 " " " N 75° E 11 "
- Broken land, timber Beech, sugar, Poplar &c.
and dogwood, Spice &c
-

- West On S. boundary of Sec. 35, T.M. N. R. 3 E
- 40.00 Set the q^r. Sec. post, from which
a Beech 24 in. dia. bran S 28° W 35 m. dist. of
a Do 14 " " " N 67° E 25 "
- 67.93 a Walnut 18 "
- 80.00 Set a post Cor. to Sec. 34 & 35, from which
a Beech 14 in. dia. bran N 48° E 41 m. dist. of
a Do 8 " " " S 55° W 19 "
- Broken land, timber Beech, sugar, Walnut &c.
and dogwood, Pawpaw & Spice.
-

- West On S. boundary of Sec. 34, T.M. N. R. 3 E.
- 18.38 a Beech 20 in. dia.
- 40.00 Set the q^r. Sec. post, from which
a Beech 15 in. dia. bran S 99° W 24 m. dist. of
an Ironwood 6 " " " N 46° E 11 "
- 80.00 Set a post Cor. to Sec. 33 & 34, from which
a Hickory 14 in. dia. bran N 13° W 77 m. dist. of
a Sugar 6 " " " S 44° W 17 "
- Land timber &c. same as on the last mile
-

M.M.R. R. 3 E. I. Mer. Indiana

West On S. boundary of Sec. 33, M.M.R. R. 3 E.
 21.35 a Poplar 36 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Beech 10 in. dia. bran N49W22 Ch. dist.,
 a Ho 12 " " N27E21 " "
 64.87 a Beech 24 " "
 80.00 Set a post Con. to Sec. 32 of 33, from which
 a Beech 20 in. dia. bran N45 Engt. dist.,
 a Ho 12 " " S39W11 " "
 Broken land good soil, timber Beech, Sugar,
 Poplars &c.

West On S. boundary of Sec. 32, M.M.R. R. 3 E.
 34.93 a Beech 8 in. dia.
 37.50 a Branch 4 ft. wide C.S. S. W.
 40.00 Set the gr. Sec. post from which
 a Beech 6 in. dia. bran N83E17 Ch. dist.,
 an Elm 18 " " S33W17 " "
 52.50 an Oak 48 " ".
 77.50 a Branch 10 ft. wide C.S. S. E.
 80.00 Set a post Con. to Sec. 31 of 32, from which
 a Beech 14 in. dia. bran S79W12 Ch. dist.,
 an Oak 14 " " N30E20 " "
 Broken land, timber Beech, Ash & Poplar,
 Oak &c. under ^{the} Spice.

West On S. boundary of Sec. 31, M.M.R. R. 3 E.
 15.32 a Beech 27 in. dia.
 17.00 a Branch 8 ft. wide C.S. North
 40.00 Set the gr. Sec. post, from which
 a Beech 6 in. dia. bran S71E18 Ch. dist.,
 a Ho 7 " " S55W23 " "
 50.10 a Beech 25 " ".

419

Mt. R. & I. Mar. Indiana

- 68.00 a Creek 25 ft. wide C.S. N.W.
 74.75 intersected the corner of Township N. 10
 of M.R., Range 2 of 3 East, at post, from which
 a Hickory 15 in. dia. bran. 15' E 25 ft. dist. of
 a do 12 " " 175 E 12 " "
 very broken & above.
-

- East Boundary var. 5.40' E.
 North On E. boundary of Sec. 36, Mt. R. & I.
 31.50 a Creek 20 m. dia.
 40.00 at the of. Sec. post, from which
 a Beech 9 in. dia. bran. 161 W 12 ft. dist. of
 a do 10 " " 135 E 73 " "
 50.42 a Hickory 18 " "
 71.00 a Branch 7 ft. wide C.S. N.E.
 80.00 set a post Cor. to Sect. 25 of 36, from which
 an Ash 7 1/4 in. dia. bran. 130 W 13 ft. dist. of
 a Beech 8 " " 136 E 20 " "
 Broken land, timber Beech, Poplar, Ash &c.
 undergrowth Spice &c.
-

- North On E. boundary of Sec. 25, Mt. R. & I.
 12.15 a Poplar 36 m. dia.
 40.00 at the of. Sec. post, from which
 a Beech 6 in. dia. bran. 180 W 15 ft. dist. of
 a do 7 " " 182 E 17 " "
 56.90 a Gum 31 " "
 68.25 a Branch 10 ft. wide C.S. N.W.
 80.00 set a post Cor. to Sect. 24 of 25, Mt. R. & I., from
 which a Beech 20 m. dia. bran. 115 W 15 ft. dist. of
 a do 14 " " 182 E 18 " "
 Land timber &c. same as on the last mile
-

M. N. R. 3 E. 2^d. Mer. Indiana

North On E. boundary of Sec. 24, M. N. R. 3 E.

11.60 a Sugar 18 in. dia.

23.25 at Branch 7th m. wide C. S. N.W.

40.00 Let the q. Sec. post, from which
a Sugar 6 in. dia. bran 127 ft. 15 in. dist. of
a Beech 9 " " N 41 E 18 "

51.50 a Beech 15 "

56.00 a Branch 6 in. dia. bran

80.00 Let a post Cor. to Sec. 13 of 24, from which
a W. Oak 30 in. dia. bran 171 ft. 10 in. dist. of
a Beech 9 " " N 27 W 12 "

Land timber &c. same as on the last mile

North On E. boundary of Sec. 13, M. N. R. 3 E.

26.90 a Poplar 30 in. dia.

40.00 Let the q. Sec. post, from which
a Sugar 18 in. dia. bran 138 ft. 32 in. dist. of
a Beech 9 " " N 85 E 9 "

64.55 a Beech 18 in. dia.

80.00 Let a post Cor. to Sec. 12 of 13, M. N. R. 3 E.

on Ash 9 in. dia. bran N 82 E 19 in. dist. of
a W. Oak 10 " " N 15 W 29 "

Land timber &c. same as on the last mile

North On E. boundary of Sec. 12, M. N. R. 3 E.

11.00 an Ash 24 in. dia.

40.00 Let the q. Sec. post, from which

an Ironwood 6 in. dia. bran 128 ft. 20 in. dist. of
a Beech 5 " " N 55 E 6 "

57.60 an Ash 30 "

80.00 Let a post Cor. to Sec. 11 of 12, from which

a Beech 6 in. dia. bran 118 ft. 13 in. dist. of
a Slo 21 " " N 3 E 26 "

I.M.N. R.3 E. T. Mer. Indiana

Gently rolling, timber as above. Soil good

- North On E. boundary of Sec. 1, I.M.N. R.3 E.
40.00 Set the q. Sec. post, from which
a Beech 17 m. dia. bran East 17¹¹ ft. dist. of
a Do 15 " " N 77° 11 " "
79.50 Intersected the corner of Township N. 11
of 12^{1/2} N. Range 3^{1/2} E. Land level, timber
Beech, Ash, Sugar &c. underg. Spice

- North Boundary var. 6.45' E.
- West On S. boundary of Sec. 36, I. 1/2 N. R. 3 E.
20.07 a Sugar 10 m. dia.
30.50 a Branch 8 ft. wide course North
40.00 Set the q. Sec. post, from which
a Beech 9 m. dia. bran N 65° 15' E. dist. of
a Do 20 " " J 60 E 40 " "
70.42 an Ash 30 "
80.00 Set a post Cor. to Sec. 35 of 36, I. 1/2 N. R. 3 E. from which
a Water Beech 9 m. dia. bran S 17° 15' E. dist. of
a Beech 19 " " N 71 E 23 " "
Over rich level land, timber Beech, Poplar, Ash &c.

- West On S. boundary of Sec. 35, I. 1/2 N. R. 3 E.
17.90 a Creek 20 ft. wide C. S. North
39.68 a Beech 14 m. dia.
40.00 Set the q. Sec. post, from which
a _____ 7 m. dia. bran S 62° 11' 20" E. dist. of
a Do 18 " " S 82 E 12 " "
61.39 a Beech 20 " "
80.00 Set a post Cor. to Sec. 34 of 35, I. 1/2 N. R. 3 E. from which
an Ash 21 m. dia. bran S 68° 11' 11" E. dist. of
an Elm 15 " " J 73 E 7 " "

Mr. REED, Mr. Indiana

Good farming land, timber Beech, Darg, Ash
etc. undergth spruce

West On S. boundary of Sec. 34, T12 N. R23 E.
23.53 a Beech 14 in. dia. bran
40.00 at the gr. Sec. post, from which
an Ash 8 in. dia. bran N30E5 deg. dist. of
an Elm 24 " " " T35 W21 " "
66.88 an Ash 24 " .
80.00 at a post cor. to Sec. 33 & 34, T12 N. R23 E. from which
a Beech 6 in. dia. bran N42E20 deg. dist. of
a sugar 9 " " " T58 W26 " "
Good land, timber. Beech, Ash &c. under ^{to} Spruce.

West On S. boundary of Sec. 33, T113 N. R3 E.
22.41 at Creek 14 mi. due.
40.00 Set the gr. Sec. post, from which
a _____ 4 in. dia. bray 160 ft. 10 lbr. dist'd
a sugar 20 " " " 185 E 18 " "
58.02 a Brook 8 lbr. wide E. S. W.
76.02 a Creek 50 " " " S. off.
80.00 let a post Cov. to Sec. 32 & 33, T112 N. R3 E, from which
a sugar 5 in. dia. bray 110 ft 13 lbr. dist'd
a Creek " " " 16 E 65 " "
Good farming land, timber, Creek, sugar,
ash &c. rendering to Spice.

West On S. boundary of Sec. 32, T12 R13 E
20' 31" at Beech 18 m. dist.

40.00 Set the gr. Sec. post, from which
a Beech 10 in. dia. branch N23881 hr. dist. of
a Sycamore 10 " " . N689122 " "
62.08 a Poplar 36 " .

423

M. N. R. C. E. I. Mer. Indiana

80.00 Set a post cor. to Sec. 31 of 32, M. N. R. C. E., from which
a Beech 13 m. dia. bran N 27° W 16 ft. dist. of
a Do 24 " " S 42° W 10 " .
Land rolling, timber Beech, Ash, Oak &c. under ^{the} Spice

West On S. boundary of Sec. 31, M. N. R. C. E.

24.77 a W. Oak 40 m. dia.

29.70 a Creek 50 ft. wide Cr. S. W.

40.00 Set the q. Sec. post, from which
a Beech 5 m. dia. bran N 43° W 17 ft. dist. of
a Do 12 " " South 71 " .

70.31 to Town Corner. June 29th, 1819

West Boundary var. 6° 15' E.

North On E. boundary of Sec. 36, M. N. R. C. E.

18.00 a Creek 25 ft. wide Course N. W.

28.00 a Do 30 " " West

30.90 a sugar tree 15 m. dia.

40.00 Set the q. Sec. post, from which
a Beech 6 m. dia. bran N 46° W 6 ft. dist. of
a Do 9 " " S 30° E 15 " .

80.00 Set a post Cor. to Sec. 25 & 36, M. N. R. C. E., from which
a sugar 9 m. dia. bran N 4 E 10 ft. dist. of
a Do 18 " " S 70° W 20 " .

Broken land, timber Beech, Sugar, Poplar, ash
&c. under ^{the} Spice &c.

North On E. boundary of Sec. 25, M. N. R. C. E.

33.47 a sugar 20 m. dia.

40.00 Set the q. Sec. post, from which
a Beech 10 m. dia. bran N 66° W 39 ft. dist. of
a Do 24 " " N 70° E 3 " .

58.98 a blackberry 20 " .

424

Mt. R. E. D. Mer. Indiana

64.50 a Creek 50 ltrs. wide C.P.S.W.

80.00 At a post Cor. to Sec. 24 & 25, Mt. R. E. D., from which
a Beech 10 in. dia. bran 156 E 16 ltrs. thick
a do 16 " " N 51 W 9 " "
Good farming land, timber Beech, Sugar, Ash
Elm, Buckeye, Hackberry &c. underlyng. Spices &c

North On E. boundary of Sec. 24, Mt. R. E. D.

21.00 a Branch 4 ltrs. wide C.P.S.W.

27.58 a Beech 20 in. dia.

40.00 At the q. Sec. post, from which
a Beech 18 in. dia. bran 152 E 23 ltrs. thick
a do 7 " " 169 W 22 " "

67.00 a Branch 4 ltrs. wide C.P.S.W.

78.14 a Beech 25 in. dia.

80.00 At a post Cor. to Sec. 13 & 24, Mt. R. E. D., from which
a Beech 7 in. dia. bran 166 E 6 ltrs. thick
a do 18 " " 135 W 25 " "

Land timber &c. same as on the last mile

North On E. boundary of Sec. 13, Mt. R. E. D.

12.23 an Ash 25 in. dia.

23.00 a Branch 4 ltrs. wide C.P.S.W.

40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bran 145 W 6 ltrs. thick
an Ash 21 " " 187 E 41 " "

58.00 a Branch 10 ltrs. wide C.P.S.W.

58.78 a Sugar 27 in. dia.

80.00 At a post Cor. to Sec. 12 & 13, Mt. R. E. D., from which
a Beech 9 in. dia. bran 154 E 18 ltrs. thick
a do 6 " " 169 E 7 " "

1st rate land, timber Beech, Ash, Sugar, Elm,
Cherry &c. underlyng. Spices &c

Met R 3 E. 2nd Mer. Indiana

North On E. boundary of Sec. 12, Met. R 2 E.
 14.49 a Beech 22 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Beech 20 in. dia. bears N 33° E 13 lbs. dist. of
 a do 10 " " " 185 ft 30".
 59.00 a Branch 3 lbs. wide course N.E.
 67.95 a Beech 24 in. dia.
 80.00 Set a post cor. to Sec. 1 & 12, Met. R 2 E, from which
 a Beech 7 in. dia. bears N 87° E 10 lbs. dist. of
 a do 5 " " " 170 ft 11".
 Level D^{ad}, slate land, timber Beech, Sugar, Ash,
 Poplar &c. under Spruce & Hemlock

North On E. boundary of Sec. 1, Met. R 2 E.
 24.50 a creek 30 lbs. wide C. S. West
 40.00 Set the gr. Sec. post, from which
 an Oak 5 in. dia. bears N 40° W 10 lbs. dist. of
 a Cherry 6 " " " 13 E 18".
 61.00 a Creek 50 lbs. wide C. S. S. W.
 73.58 a sugar 21 in. dia.
 99.90 Set a post Cor. to Township N. M of 12 North Range
 N. 2 of 3 East, from which
 a Beech 25 in. dia. bears N 26° E 13 lbs. dist. of
 a do 12 " " " 126 E 25".
 Good farming land, timber Beech, Poplar, Ash,
 &c. under Spruce Beech &c.
 Surveyed by John M^cDonald, L.S.

We, John Brown, John Chamber, Jeremiah Grover
 & John Gushwa, do solemnly swear in the presence
 of Almighty God, that in all measurements in which
 we shall be employed as chain carriers in the public
 surveys, we will faithfully and impartially execute the

M. N. R. 3 E. I. Mer. Indiana

duties of the trust reposed in us to the best of our skill and abilities, so help us God

John P. Brown,

John Chamberlain, Chairman

Geo. Grover,

John Gushwa, Asman

Swear and Subscribed before me this 24th
day of July 1820. K. P. Bently, U. S.

Subdivision.

North Between Sec. 35 & 36, M. N. R. 3 E.

6.50 a Beech 11 in. dia.

38.60 a Do 12 " "

40.00 Set the q. Sec. post from which

a Sugar 4 in dia. bears N 87 W 20 ths dist. 8

a Do 3 " . 858 E 15 " "

54.50 a Beech 20 " .

67.00 a Do 24 " "

80.00 Set a post Corner to Sec. 35 & 36 from which

a Hickory 5 in. dia. bears S 40 E 9 ths dist. 8

a Beech 4 " . N 30 W 28 " "

Land hilly 3rd rate Ash Beech, Sugar, Hc.

East On Random Between Sec. 25 & 36, M. N. R. 3 E.

40.00 Set the temp^r. q. Sec. post

80.20 Intersected E. boundary 2.31 ths. South of post

1st/₂ mile hilly 3rd rate last ¹/₂ mile level 2nd rate, timber Ash, Poplar, Beech, under ⁴/₅ spic
of Green briar. July 24th 1820

West Corrected between Sec. 25 & 36, M. N. R. 3 E.

40.10 Set the q. Sec. post at average dist. from which
a Dogwood 6 in. dia. bran S 45 E 18 ths. dist. of

427

Mt. R. 3 E. I. Mer. Indiana

a Sugar 6 in. dia. bran \$157.97 25 lbs. dist. of
80.20 to Sec. Corner

North Between Sec. 25 & 26, Mt. R. 3 E.

3.40 a Beech 24 in. dia.

12.00 a Hickory 18 "

40.00 Set the q. Sec. post, from which
a Hickory 18 in. dia. bran \$30.620 lbs. dist. of
a Sugar 6 " " " \$66.97 22 " "

49.00 an Ash 36 "

72.50 an Elm 30 "

80.00 Set a post cor. to Sec. 23, 24, 25 & 26, from which
a Sugar 3 in. dia. bran \$45.97 5 lbs. dist. of
a Beech 24 " " " \$60.628 " "

Land rolling 2nd rate, Ash, Sugar, Beech, under
Spice &c.

East On Plan 2nd between Sec. 24 & 25, Mt. R. 3 E.

40.00 Set tempy. q. Sec. post

49.30 a stream 15 lbs. wide Cr. North

81.20 Intersected the E boundary 540 lbs. S. of post

Land rolling 2nd rate, Ash, Beech, Sugar &c.
under Spiece &c.

West Connected between Sec. 24 & 25, Mt. R. 3 E.

40.60 Set q. Sec. post at average dist. from which
a Beech 10 in. dia. bran \$35.97 13 lbs. dist. of
a No 6 " " " \$61.69 " "

81.20 to Sec. corner

North Between Sec. 23 & 24, Mt. R. 3 E.

25.50 a stream 14 lbs. wide Cr. N.

26.00 a Hickory 20 in. dia.

Mt. R 3 E. I. Mer. Indiana

- 40.00 At the gr. Sec. post, from which
 a W. Oak 36 in. dia. bran 175 E 15 th. dist. of
 a Sugar 3 " " N 61 W 9 " "
 41.50 a Spring
 51.46 a Beech 30 in. dia.
 62.45 an Elm 6 " " a stream 10 lbs. wide cr. S. M.
 80.00 Set a post Cor. to Sec. 13, 14, 23 of 24, from which
 a Beech 8 in. dia. bran 87 W 19 th. dist. of
 a Hickory 7 " " N 57 E 14 " "
 Land hilly 2^d. rate, Ash, Beech & Sugar, undg. ^{to} Spice
-

East On Land S. between Sec. 13 of 24, Mt. R 3 E.

- 40.00 At tempy. gr. Sec. post
 80.50 Intersected the E. boundary 792 lbs. S. of post
 Land hilly 2^d. rate, ash, Beech &c. undg. ^{to} Spice
-

West Corrected between Sec. 13 of 24, Mt. R 3 E.

- 40.25 At gr. Sec. post at average dist. from which
 a Beech 10 in. dia. bran 13 E 26 th. dist. of
 an Oak 30 " " N 9 E 17 " "
 80.50 to Sec. Corner.
-

North Between Sec. 13 of 14, Mt. R 3 E.

- 13.72 a W. Oak 36 in. dia.
 40.00 At the gr. Sec. post, from which
 a Beech 10 in. dia. bran 17 E 27 th. dist. of
 a Slo 4 " " N 12 W 22 " "
 59.74 an Ash 10 in. dia. of a Spring branch 3 lbs. cr.
 80.00 Set a post Cor. to Sec. 11, 12, 13 of 14, from which
 a Poplar 8 in. dia. bran 143 W 26 th. dist. of
 a W. Oak 17 " " N 66 E 5 " "
 1st. from level 2^d. rate last 1/2 mile hilly 3^d. rate
 W. Oak, Poplar, Beech, Undg. ^{to} Spice & Spring

429

Mt. R. 3 E. I. Mer. Indiana

East On Rand^m. between Sect. 12 & 13, Mt. R. 3 E.

40.00 Set temp. of Sec. post

81.00 Intercepted the E. boundary 963 ft. S. of post
Land very hilly D^r. rate, timber W. Oak, Beech
etc. undergth. Spice etc.

West Corrected between Sect. 12 & 13, Mt. R. 3 E.

40.50 Set q^r. Sec. post at average dist. from which
a Beech 6 in. dia. bran 185 E 5 ft. dist. of
a do 8 " " 160 9 17 " "

81.00 to Sec. Corner. July 25. 1890

North Between Sect. 11 & 12, Mt. R. 3 E.

9.20 a Poplar 30 in. dia.

40.00 Set the q^r. Sec. post, from which
a Beech 5 in. dia. bran 165 9 7 ft. dist. of
an Ash 3 " " 169 8 7 " "

45.20 an Elm 24 " "

80.00 Set a post Cor. to Sect. 1, 2, 11 & 12, from which
a Beech 8 in. dia. bran 150 E 9 ft. dist. of
a do 12 " " 19 9 17 28 " "
Land level D^r. rate, timber Beech, poplar etc.
undergth. Spice.

East On Rand^m. between Sect. 1 & 12, Mt. R. 3 E.

40.00 Set temp. of Sec. post

80.00 Intercepted the E. boundary, 11.32 ft. S. of post
Land level D^r. rate, timber Ash, Poplar,
Beech, undergth. Spice etc.

West Corrected between Sect. 1 & 12, Mt. R. 3 E.

40.11 Set q^r. Sec. post at average dist. from which
a sugar 18 in. dia. bran 135 E 3 2 ft. dist. of

M.M.R. 3 E. 2nd Mer. Indiana

a Sugar 5 m. dia. bray N 55° E 11 lbs. dist. of
80.27 to Sec. Corner

North Between Sec. 14 & 15, M.M.R. 23 E.

8.54 an Elm 22 m. dia.

40.00 lat. th. of Sec. post, from which
a Beech 14 m. dia. bray S 70° W 26 lbs. dist. of
a Do 18 " " " N 70° E 13 " "

41.55 at stream 8 lbs. wide Cr. N.E.

57.27 a Beech 24 m. dia.

67.84 a Do 30 " "

90.76 intersected the N. boundary 103 lbs. W. of post
Lat a post Cor. to Sec. 14 & 15, from which
a Beech 15 m. dia. bray S 86° W 13 lbs. dist. of
a Do 34 " " " N 80° E 25 " "

Land rolling 2nd rate, Ash, Beech, Sugar &
underg. Spice &c.

North Between Sec. 34 & 35, M.M.R. 23 E.

5.34 a Beech 20 m. dia.

40.00 lat. th. of Sec. post, from which
a Beech 18 m. dia. bray S 68° E 8 lbs. dist. of
a Do 15 " " " N 60° W 7 " "

47.34 a Beech 10 " "

80.00 Lat a post Cor. to Sec. 26, 27, 34 & 35, from which
a Beech 30 m. dia. bray N 68° E 17 lbs. dist. of
a Sugar 6 " " " S 41° W 18 " "

Land very hilly 3rd rate Beech, W. Oak &c.
Underg. Spice & Green briar.

East On Land b/w Sec. 26 & 35, M.M.R. 23 E.

40.00 Lat temp. of Sec. post

80.20 intersected the N. S. line 134 lbs. S. of post

Mt. R. C. I. Mer. Indiana

Sand hilly 3rd rate Beech, M. Oak, Poplar,
Underg. Spice & Berry. July 26.th 1890)

West Connected between Sec. 26 & 25, Mt. R. C. I.
40.10 Set q. Sec. post at average dist. from which
a Beech 10 m. dia. bray N 11 E 20 th. dist.
a Do 4 " " " 174 E 25 " "
80.00 to Sec. corner.

North Between Sec. 26 & 27, Mt. R. C. I.
7.50 a P. Oak 15 m. dia.
24.25 a Creek 20 ltrs. wide C. S. I. W.
40.00 Set two q. Sec. post, from which
a Beech 4 m. dia. bray 168 W 29 ltrs. dist.
a Do 3 " " " 152 E 11 " "
55.30 a Beech 24 " "
80.00 Set a post cor. to Sec. 22, 23, 26 & 27, from which
a dogwood 4 m. dia. bray 125 E 20 ltrs. dist.
a M. Oak 11 " " " 135 W 24 " "
Sand very hilly 3rd rate Beech, M. Oak &c
Underg. Spice & Berry &c.

East On Land in betw. Sec. 23 & 26, Mt. R. C. I.
40.00 Set temp. q. Sec. post
48.50 a Creek 20 ltrs. wide C. S. I. W.
80.00 Antisected the N. S. line 165 ltrs. S. of post
Sand hilly 3rd rate, Beech Ash &c. Underg. Spice

West Connected between Sec. 23 & 26, Mt. R. C. I.
40.00 Set q. Sec. post, from which
a M. Oak 36 m. dia. bray 188 E 10 ltrs. dist.
a Beech 15 " " " 148 W 20 " "
80.00 to Sec. corner.

Mt. R. 3 E. I. Mer. Indiana

North Between Sec. 22 & 23, Mt. R. 3 E.

8.00 a Gym 24 in. dia.
 40.00 left the gr. Sec. post, from which
 a Sugar 15 in. dia. bray N 73° E 11 lbs. dist. of
 a Beech 10 " " " " 33 E 25 " "
 52.60 a Beech 12 " "
 69.00 a Spring branch 4 lbs. wide C. S. W. W.
 73.50 a stream 10 lbs. wide C. S. W. W.
 80.00 left a post cor. to Sec. 14, 15, 22 & 23, from which
 a Water Beech 4 in. dia. bray 145 lbs 28 lbs. dist. of
 a Poplar 28 " " " N 35° W 12 " "
 Land hilly 2^o rats, Ash, Beech, Poplar,
 undergrowth Spice &c.

East Oakland Rd. between Sec. 14 & 23, Mt. R. 3 E.

40.00 left the tempy. of. Sec. post
 79.80 intersected the N. S. line 30 lbs. S. of post
 Land hilly 2^o rats, timber Beech, Poplar &c.
 under Spice greenbrier & Rattle snake

West Connected Between Sec. 14 & 23, Mt. R. 3 E.

39.90 left gr. Sec. post at average dist. from which
 a Beech 8 in. dia. bray N 10° E 13 lbs. dist. of
 a Do 6 " " " 152 W 14 " "
 79.80 to Sec. corner July 27th 1870

North Between Sec. 14 & 15, Mt. R. 3 E.

11.00 a stream 10 lbs. wide C. S. W. W.
 12.00 a W. Oak 24 in. dia.
 40.00 left the gr. Sec. post, from which
 an Ironwood 3 in. dia. bray 133 lbs 12 lbs. dist. of
 a Do 4 " " " 146 W 8 " "
 52.75 a P. Oak 48 " "

Cont'd

Mt. R. 3 E. I. Mer. Indiana

80.00 Set a post cor. to Sec. 10, 11, 14 & 15, from which
a Beech 8 in. dia., bran. N 16 E 28 deg. dist. of
a Do 12 " " N 43 W 12 " "
Land level 2nd rate, timber Ash, Oak, Poplar
Beech, Sugar &c, underg. to Spice

East On Rand. between Sec. 11 & 14, Mt. R. 3 E.
40.00 Set tempy. of. Sec. post
78.75 Intersected the N. & S. line 61 chs. S. of post
Land rolling 2nd rate Ash, Beech, Poplar
Underg. to Spice & Berry.

West Corrected between Sec. 11 & 14, Mt. R. 3 E.
39.37 Set q. Sec. post at average dist. from which
a Beech 4 in. dia. bran. N 76 E 19 deg. dist. of
a Do 3 " " N 15 W 11 " "
78.75 to Sec. corner

North Between Sec. 10 & 11, Mt. R. 3 E.

14.60 a Sugar 15 in. dia.
40.00 Set two q. Sec. post, from which
a Beech 30 in. dia. bran. N 78 W 11 deg. dist. of
a Sugar 6 " " N 50 E 17 " "
46.00 a Stream 8 chs wide Cr. S. W.
46.60 a Cherry 18 in. dia.
80.00 Set a post cor. to Sec. 2, 3, 10 & 11, from which
a Sugar 15 in. dia. bran. S 36 W 17 deg. dist. of
a Buckeye 10 " " N 85 E 23 " "
Land level 1st rate, timber Ash, Sugar, Beech,
Underg. to Spice &c

East On Random between Sec. 2 & 11, Mt. R. 3 E.

40.00 Set tempy. of. Sec. post, from which

M. N. R. 3 E. 2^d Mer. Indiana

78.70 Intersected the N. & S. lines 40 lks. N. of post
 1st half 1st rate - last $\frac{1}{2}$ 2nd rate, timber, Ash
 Beech, Sugar, under Spruce

West Corroded between Sect. 2 & M. N. R. 3 E.
 39.35 ft. q. See post at average dist. from which
 an Elm 6 in. dia. bears N 14° E 11 lks. dist. of
 a Beech 6 " " " J 1 W 17 " "
 78.70 to Sec. corner.

North Between Sect. 2 & 3, M. N. R. 3 E.
 5.05 a Beech 15 in. dia.
 40.00 Set the q. Sec. post from which
 a Beech 18 in. dia. bears N 81° E 22 lks. dist. of
 a Sugar 15 " " " N 75° W 22 " "
 62.72 as 10s 7 " "
 68.57 a Sugar 24 " "
 88.25 Intersected N. boundary 126 lks. E. of post
 Set a post Corner to Sect. 2 & 3. from which
 a Sugar 7 in. dia. bears N 55° E 23 lks. dist. of
 an Elm 12 " " " S 29° W 24 " "
 Land low 1st rate Ash B. Walnut Beach

North Between Sect. 33 & 34, S 11 N R. 3 E.
 8.40 a Sugar $\frac{24}{7}$ in. dia.
 40.00 Set a q. Sec. post from which
 a Water beach 6 in. dia. bears S 9° W 12 lks. dist. of
 a Beech 6 " " " N 47° W 12 " "
 49.46 a W. Oak 30 " "
 80.00 Set a post Corner to Sect. 27, 28, 33 & 34. from which
 a Beech 3 in. dia. bears S 41° W 4 lks. dist. of
 a sugar 21 " " " N 10° E 16 " "
 Land hilly 3rd rate sugar Beech W. Oak

435

S 11 N - R 3 E. I. Mer. Indiana

Undergrowth Spic & Green briars

- East On Random Between Sect. 27 & 34, S 11 N - R. 3 E.
 6. 80 a Small Branch 4 lks. wide Course N. W.
 20. 00 a Do Creek
 40. 00 Set the temp^Y. q. Sec. post
 79. 75 Intersected the N & S. line 26 lks. S. of post.
 Land & timber as on the last mile

- West On true line Between Sect. 27 & 34, S 11 N - R. 3 E.
 39. 87 Set the q. Sec. post at average dist. from which
 a W. Oak 6 in. dia^r. bears S 22 $\frac{1}{2}$ E 6 lks. dist. &
 a Hickory 18 " " N 6 $\frac{1}{2}$ W 25 " "
 79. 75 to Section Corner

- North Between Sect. 27 & 28, S 11 N. R. 3 E.
 24. 35 a Beech 20 in. dia.
 40. 00 Set the q. Sec. post from which
 a Beech 10 in. dia. bears S 3 W 16 lks. dist. &
 a Sugar 7 " " S 16 W 7 " "
 50. 00 Camp Creek 25 lks. wide Course W.
 65. 16 a Sugar 20 in. dia.
 80. 00 Set the post Comes to Sect. 21, 22, 27 & 28, from which
 a Beech 20 in. dia. bears N 45 $\frac{1}{2}$ E 7 lks. dist. &
 a Do 30 " " S 71 W 5 " "
 Land hilly 2^o rate timber Ash Beech Walnut
 Undergrowth Spick

- East On Random Between Sect. 22 & 27, S 11 N - R. 3 E.
 40. 00 the temp^Y. q. Sec post
 64. 00 a stream 10 lks. wide Course S. W.
 80. 10 Intersected the N & S. line 73 lks. N. of post.
 Land hilly 3^o rate Ash Beech Sugar &c.

S.M.T. 123 E. 2nd Mer. IndianaUndergrowth Spec. 29th July

- West On true line Between Sec. 22 & 27. S. 11 N. R. 3 E.
40. 00 Set the qf. Sec. post at average dist from which
a sugar 6 in. dia. bears N 55° W 3 lks. dist. &
a Dogwood 5 " " S 16 E 10 " "
80. 10 to Section Corner

- North Between Sec. 21 & 22. S. 11 N. R. 3 E
6. 95 a Beech 30 in. dia.
40. 00 Set the qf. Sec. post from which
a Beech 20 in. dia. bears N 45° E 9 lks. dist. &
a Do 6 " " N 22 E 29 " "
42. 50 a Creek 30 lks. wide Course S. W.
43. 84 a Sycamore 32 in. dia.
80. 00 Set a post Corner to Sec. 15, 16. 21 & 22. from which
a sugar 4 in. dia. bears N 28° W 5 lks. dist. &
a Do 5 " " S 32 E 13 " "
- Land rolling timber sugar Walnut &c underg. Spec.

- East On Random Between Sec. 15 & 22. S. 11 N. R. 3 E.
24. 25 a stream 10 lks wide Course S.
40. 00 Set the temp. qf. Sec. post
41. 30 a stream 12 lks. wide Course S. W.
61. 25 a Do 10 " " N W.
80. 10 Intersected the N.Y.S. line 147 lks. N. of post
Land Rolling 1st rate timber Asst Walnut Beech
Undergrowth Spec & poplar

- West On true line Between Sec. 15 & 22. S. 11 N. R. 3 E.
40. 05 Set a qf. Sec. post at average dist. from which
a Beech 10 in. dia. bears N 71° W 12 lks. dist. &
a Ironwood 7 " " S 35° E 45 " "

MN-R3E. Ind. Mer. Indiana

80. 10 to Section Corner

- North Between Sec. 15 & 16. S 11. N. R. 3 E.
11. 59 a Beech 36 in. dia.
48. 00 Set the qf. Sec. post from which
a Beech 3 in. dia. bears N 70 W 5 ths dist. 8.
a Do 6 " " " N 80 E 20 " "
52. 63 a W. Oak 60 " "
60. 07 Set a post Corner to Sec. 9. 10. 15 & 16 from which
a Beech 4 in. dia. bears S 29 1/2 W 15 ths dist. 8
a Do 9 " " " N 31 E 13 " "
Land level 1st rate timber - Aft poplar Beech Sugar
undergrowth Spice.

- East On Random Between Sec. 10 & 15, S 11. N. R. 3 E.
36. 25 a stream 10 ths wide Course S. W.
40. 00 Set the temp^{qf}. qf. Sec. post
80. 00 Intersected the N. S. line 90 ths N. of post. 8
Land rolling 2nd rate Aft Beech. undergrowth Spice.

- West On true line Between Sec. 10 & 15, S 11. N. R. 3 E.
40. 00 Set the qf. Sec. post at average from which
a Beech 7 in. dia. bears N 68 W 17 ths dist. 8
a Do 8 " " " S 5 1/2 E 26 " "
81. 00 to Section Corner

- North Between Sec. 9 & 10 S 11. N. R. 3 E.
8. 07 a Beech 18 in. dia.
29. 50 a stream 15 ths wide Course S. W.
40. 00 Set the qf. Sec. post from which
a Beech 20 in. dia. bears N 44 1/2 W 35 ths dist. 8
a Do 20 " " " S 64 E 26 " "
58. 62 a sugar 18 " "

M. N. R. 3 E. 2^o. Mer. Indiana

81. 00 Set a post corner to Sec. 3, 4, 9 & 10 from which
a Beech 4 in. dia. bears S 29 $\frac{1}{2}$ E 26 lbs. dist. 8
a 10 30 " " " N 48 W. 19 " "
Land rolling 2^o. rate Oak Ash Poplar Beech
Sugar undergrowth Spicke

East On Random between Sec. 3 & 10 S 11 N. R. 3 E.
40. 00 Set the temp. of. Sec. post
81. 00 Intersects the N. & S. line 128 lbs. N of post
Land level P. rate timber Ash Beech Poplar
B. Walnut Sugar undergrowth Spicke & poplars -

West On true line between Sec. 3 & 10 S 11 N. R. 3 E.
40. 50 Set a qf. Sec. post at average dist. from which
a Sugar 6 in. dia. bears S 10 E 19 lbs. dist. 8
a Hickory 15 " " " N 45 E 13 " "
81. 00 To Section Corner

North Between Sec. 3 & 4. S 11 N. R. 3 E.
17. 10 a Beech 15 in. dia.
40. 00 Set a qf. Sec. post from which
a Beech 20 in. dia. bears S 6 $\frac{1}{2}$ E 16 lbs. dist. 8
an Ash 30 " " " N 13 E 23 " "
63. 00 a Beech 20 " "
83. 50 Intersected N. boundary 86 lbs. E. of post set a post
corner to Sections. 3 & 4. from which
an Ash 12 in. dia. bears N 13 W 24 lbs. dist. 8
a Beech 30 " " " S 7 $\frac{1}{2}$ E 20 " "
Land level P. rate Ash Beech Poplar Sugar
undergrowth Spicke

North Between Sec. 3 & 4 S 11 N. R. 3 E.
9. 50 a B. Oak 30 in. dia.

439

S.M.R. R. 3 E. 2^d. Mer. Indiana

- 40.00 Set the qf. Sec. post from which
a Beech 12 in. dia. bears $169\frac{1}{2}$ E 18 lks. dist. &
a Do 30 " " $N75\frac{1}{2}W24$ " "
70.31 a Sugar 20 " "
80.00 Set a post Corner to Sec. 28, 29, 32 & 33, from which
a Poplar 20 in. dia. bears 153 E 11 lks. dist. &
a Do 15 " " $N56\frac{1}{2}W20$ "
Land hilly 3' rate Ash Beech poplar undergrowth
with Spice Briers & Dogwood
-

- East On Random Between Sec. 28 & 33, T. 11 N. R. 3 E.
10.40 a small Branch 5 lks. wide Course N. W.
40.00 Set the temp^r qf. Sec. post
80.50 Intersected the N. & S. line 20 lks. N. off post.
Land hilly 2' rate Ash poplar Beech undergrowth
-

- West On true line Between Sec. 28 & 33, T. 11 N. R. 3 E.
40.25 Set the qf. Sec. post at average dist. from which
a Beech 4 in. dia. bears $149\frac{1}{2}$ E 8 lks. dist. &
a Do 20 " " $N49\frac{1}{2}W18$ " "
80.50 to Section Corner
-

- North Between Sec. 28 & 29, T. 11 N. R. 3 E.
16.50 a stream 6 lks. wide Course S. W.
18.62 a W. Oak 12 in. dia.
40.00 Set the qf. Sec. post from which
a Walnut 7 in. dia. bears $N30\frac{1}{2}E$ 5 lks. dist. &
a Sugar 10 " " $S11W24$ " "
67.90 a Sugar 20 " "
68.30 a Creek 20 lks. wide Course N.
80.00 Set a post Corner to Sec. 20, 21, 28 & 29, from which
a Buckeye 6 in. dia. bears 160 E 4 lks. dist.
a Do 15 " " $S79W40$ " "

S.M.R. R3 E. 2^o Mer. Indiana

Land hilly 1st. rate and 2nd. rate timber Ash Sugar Beech &c. undergrowth Spick

East On Random Between Sec. 21 & 28, T. 11 N. R. 3 E.

- 40 . 00 Set the tempy. of. Sec. post
 81 . 20 Intersected the N. & S. line 30 lbs. N. of post
 Land rolling 1st. half 1st. rate last half 2nd. rate
 Ash Beech B. Walnut Sugar underf. Spick -

West On true line 1 Between Sec. 21 & 28, T. 11 N. R. 3 E.

- 40 . 60 Set the qf. Sec. post at average dist. from which
 a sugar 5 in. dia. bears N 27 $\frac{1}{2}$ W 10 lbs. dist. of
 a do 6 " " " 86 E 15 " "
 81 . 20 to Section Corner

North Between Sec. 20 & 21, T. 11 N. R. 3 E.

- 11 . 50 a Beech 15 in. dia.
 18 . 30 a Creek 10 lbs. ^{wide} Course S. W.
 22 . 00 a Beech 30 in dia.
 40 . 00 Set the qf. Sec. post from which
 a B. Oak 36 in. dia. bear N 38 W 12 lbs. dia. of
 a poplar 40 " " " 845 E 30 " "
 55 . 00 a W. Oak 15 " "
 81 00 Set a post Corner to Sec. 16, 17, 20 & 21, T. 11 N. R. 3 E
 from which a Beech 3 in. dia. bears S 47 E 7 lbs. dia. of
 a sugar 7 " " " N 14 W 13 " "
 Land rolling 2nd. rate Ash Beech Sugar underf.
 Spick Augt. 1st. 1820.

East On Random Between Sec. 16 & 21, T. 11 N. R. 3 E.

- 40 . 00 Set the tempy. of. Sec. post
 43 . 00 a Branch 4 lbs. wide Course S.
 68 . 10 a do 6 " " " S. W.

441

M N R 3 E. T. Mer. Indiana

82.38 Intersected the N. & S. line 50 lks. N. of post.
Land hilly 2^d rate Ash Beech Sugar and Spice
undergrowth

West On true line Between Sec. 16 & 21. T 11 N. R. 3 E.

41.19 Set the qf. Sec. post at average dist. from which
a Walnut 20 in. dia. bears N 65° W 5 lks. dist. of
a Sugar 6 " " " N 54° E 6 " "

82.38 to Section Corner

North Between Sec. 16 & 17. T 11 N. R. 3 E

8. 83. an Ash 20 in. dia.

40.00 Set the qf. Sec. post from which
a Beech 30 in. dia. bears S 19° W 4 lks. dist.
a Do 8 " " " N 29° E 16 " "

53.54 a Beech 20 " "

73.10 a stream 6 lks. wide Course N.

80.00 a Sugar 26 in dia. Corner to Sec. 8. 9. 16. 17. from
which a Beech 10 in. dia. bears S 11° W. 18 lks. dist. of
a Sugar 6 " " " N 60° E 27 " "

Land Rolling 2^d rate Ash Beech poplar Sugar
undergrowth Spice Hc.

East On Random Between Sec. 9 & 16. T 11 N. R. 3 E.

2.25 a small branch 4 lks. wide Course S.

22.25 a Do 5 " " " S. W

33.10 a Creek 25 lks. Course S.

40.00 Set the tempy. qf. post

47.50 a Creek 15 lks. wide Course S. W.

83.30 Intersected the N. & S. line 62 lks. S. of post

Land Hilly 3^d rate timber Ash Beech Oak
undergrowth Spice & Dogwood -

West On true line Between Sec. 9 & 16. T 11 N. R. 3 E

Montgomery Co. Ind.

41. 65 Set the qf. Sec. post at average dist. from which
a Beech 10 in. dia^t. bears N $76^{\circ}W$ 16 lbs. dist. of
a Sugar 8 " " " S $41^{\circ}E$ 30 " .
83. 30 to Section Corner

North Between Sec. 8 & 9. T11N. R3E.

10. 48 a Beech 15 in. dia^t.

40. 00 Set the qf. Sec. post from which
a W. Beech 6 in. dia^t. bears S $74^{\circ}W$ 18 lbs. dist. of
a Beech 24 " " " N $55^{\circ}E$ 30 " "

44. 50 a Do 20 " "

80. 00 Set a post Corner to Sec. 4, 5, 8, 9 from which
a Beech 20 in. dia^t. bears N $59^{\circ}E$ 5 lbs. dist. of
a Do 18 " " " S $40^{\circ}W$ 16 " "

Land Rolling 2^d rate timber Ash poplar Beech
undergrowth Spice.

East On Random Between Sec. 4 & 9. T11N. R3E.

40. 00 Set the temp^y qf. Sec. post

83. 00 Intersected the N $\frac{1}{2}$ S. line 30 lbs. S. of post
Land level 2^d rate Ash Beech Sugar poplar
undergrowth Spice.

West On true line Between Section 4 & 9. T11N. R3E.

41. 50 Set the qf. Sec. post at average dist. from which
an Elm 4 in. dia^t. bears S $50^{\circ}W$ 17 lbs. dist. of
a Beech 6 " " " N $22^{\circ}E$ 26 " "

83. 00 to Section Corner

North Between Sec. 4 & 5. T11N. R3E.

15. 60 a Beech 18 in dia^t.

40. 00 Set the qf. Sec. post from which
a Beech 10 in. dia^t. bears S $83^{\circ}W$ 4 lbs. dist.

144

Mt. - R. 3 E. T. Mer. Indiana

- a Beech 7 in. dia. bears S 28° E 16 lbs dist.
53. 07 a Do 30 " "
78. 50 a Creek 30 lbs wide Course S. W.
84. 64 Intersected the N. boundary 70 lbs. W. of post.
Set a post Corner to 4 $\frac{1}{2}$ 5, from which
a Sugar 18 in. dia. bears S 70° W 6 lbs dist. ff
a Do 10 " " N 75° E 23 " "
Land Rolling 2^d. rate Ash poplar Beech sugar
undergrowth Spice. August 2. 1820
-

- North Between Sec. 31 & 32. S. 11 N. R. 3 E
3. 20 a Stream 5 lbs. wide Course W.
3. 40 a Beech 18 in. dia.
30. 34 a B. Gum 30 " "
40. 00 Set the qf. Sec. post from which
a Beech 12 in. dia. bears N 45° W 10 lbs dist. ff
a Do 13 " " S 64° E 16 " "
58. 07 a Gum 38 " "
61. 30 a Stream 6 lbs. wide Course S. W.
80. 00 Set a post Corner to Sec. 29, 30, 31 & 32. from which
a Beech 10 in. dia. bears S 6° W 3 lbs dist. ff
a Gum 18 " " N 42° E 10 " "
Land hilly 2^d. rate Ash Beech poplar Gum
undergrowth Spice &c.
-

- West Between Sec. 30 & 31. S. 11 N. R. 3 E.
28. 34 a Beech 30 in. dia.
40. 00 Set the qf. Sec. post from which
a Sugar — in. dia. bears N 69° E 25 lbs dist. ff
a Beech 26 " " S 58° W 55 " "
115. 00 a small Branch 3 lbs. wide Course N.
45. 50 a poplar 34 in dia.
75. 50 Intersected W. boundary 18 lbs. 18 lbs of post

644

Sect. R3 E. T. Mer. Indiana

Set a post Corner to Sect. 30 & 31. from which
a Beech 6 in. diam. bears S 40° E 15 lks. dist. of
a Sugar 26 " " N $55^{\circ} W$ 7 " "
Land P. half level V. rate last half hilly
Ash Beech Sugar undergrowth Spice -

East On Random Between Sect. 29 & 32. S 11 N. R. 3 E.
40 .00 Set the tempy. of. Sec. post
79.40 Intersected the N.E. line, 24 lks. S. of post.
Land Rolling P. rate timber Ash Beech poplar
undergrowth Spice -

West On true line Between Sect. 29 & 32. S 11 N. R. 3 E.
39.70 Set a qf. Sec. post at average dist. from which
a Sugar 26 in. diam. bears S $70^{\circ} W$. 16 lks. dist. of
a Beech 18 " " S $43^{\circ} E$ 40 " "
79.40 To Section Corner

North Between Sect. 29 & 30. S 11 N. R. 3 E.

12.60 an Ash 30 in diam.
38.75 a Creek $\frac{1}{4}$ wide Course W.
40 .00 Set the qf. Sec. post from which
an Ash 6 in. diam. bears S $53^{\circ} E$ 5 lks. dist. of
a Yuccamore 15 " " N $47^{\circ} E$ 16 " "
65 .00 a Beech 8 " "
80 .00 Set a post Corner to Sect. 19, 20, 21 & 30 from which
a Beech 20 in. diam. bears N $80^{\circ} W$ 30 lks. dist. of
a Do 18 " " N $60^{\circ} E$ 5 " "
Land hilly P. spars. 2' rate last p. V. rate timber
Ash B. Walnut Beech Hackberry & underg. Spice -

West Between Sect. 19 & 30. S 11 N. R. 3 E.

5 .95 a Beech 20 in. diam.

443

IN N. R. 3 E. T. Mer. Indiana

40. 00 Set a qf. Sec. post from which
a Beech 18 in. dia. bears S 11° W 32 chs. dist. &
a W. Do 4 " " " N 66° W 7 " "
61. 50 a Beech 12 " "
72. 10 Intersected W. boundary 64 chs. N. of post
Set a post Corner to Sec. 19 & 30, from which
a Beech 20 in. dia. bears S 20° W 10 chs. dist. &
a Do 7 " " " N 17° W 15 " "
Land level P. rate timber Ash Beech poplar
Walnut undergrowth Spice.

- East On Random Between Sec. 20 & 29 & 11 N. R. 3 E.
6. 20 a Creek 15 chs. wide Course S.
49. 10 a Do 20 " " " S. W.
73. 50 a Do 15 " " " N. W.
80. 20 Intersected the N. of S. line 57 chs. S. of post
Land and timber as on the last mile Augt. 30 1830.

- West On true line Between Sec. 20 & 29 & 11 N. R. 3 E.
40. 10 Set the qf. Sec. post at average dist. from which
a Beech 36 in. dia. bears N. 20° W 32 chs. dist. &
a Do 24 " " " N 58° E 7 " "
80. 20 to Section Corner

- North Between Sec. 19 & 20. & 11 N. R. 3 E.
8. 45 a Beech 30 in. dia.
30. 45 a Creek 15 chs. wide Course S. E.
35. 70 a Do 15 " " " S. W.
40. 00 Set the qf. Sec. post from which
a Blackberry 7 in. dia. bears N 53° E 14 chs. dist. &
an Elm 12 " " " S 7° W 19 " "
36. 10 a Creek 15 chs. wide Course S. E.
66. 55 a Sycamore 30 in. dia.

MN R3 E. 2nd Mer. Indiana

80. 00 Set a post Corner to Sec. 17, 18, 19 & 20, from which
a Beech 20 in. dia. bears N 58° W. 10 ch. dist.
a 16 6 " " N 75° E 20 " "
Land 1st mile hilly 3rd last 1/2 level 1st rate
timber Ash Walnut Sugar Beech &c. under ^{9th} Spice

West Between Sec. 18 & 19, T11 N. R. 3 E.

10. 00 a 1 Beech 18 in. dia.

40. 00 Set the q. Sec. post, from which
a Beech 20 in. dia. bears N 30° W 19 ch. dist. of
an Ironwood 6 " " 155° E 14 "

51. 39 a Beech 25 " "

70. 21 Intersected the West Boundary 130 ch. N.
of post - set a post cor. to Sec. 18 & 19, from which
a Beech 17 in. dia. bears N 14° W 10 ch. dist. of
an Ash 26 " " 117° E 16 " "
Land level 1st rate, timber Ash, Beech &
Sugar, under th Spice.

East On Random between Sec. 17 & 20, T11 N. R. 3 E.

5. 30 a Creek Course S.

40. 00 Set temp. q. Sec. post

79. 25 Intersected the N. S. line 25 ch. N. of post
Land level 2nd rate, Ash, Beech, Poplar
Under th Spice &c.

West Corrected between Sec. 17 & 20, T11 N. R. 3 E.

39. 62 Set q. Sec. post at average dist. from which
a Beech 20 in. dia. bears N 18° E 26 ch. dist.
a Sugar 8 " " 115° W 15 "

79. 25 to Sec. corner.

North Between Sec. 17 & 18, T11 N. R. 3 E.

447

Mt. R3 E. 2nd. Mer. Indiana

- 11.75 a Beech 24 in. dia.
 40.00 Set thro' of. Sec. post, from which
 a Beech 10 in. dia. bran 19 E 36 lbs. dist. of
 a Do 12 " " " N 50 E 12 " "
 59.50 a Sugar 12 " "
 80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
 a Hickory 13 in. dia. bran 120 E 9 lbs. dist. of
 a Beech 12 " " " N 18 E 12 " "
 Land hilly 3rd rate, timber Ash, Beech &c.
 underg. Spice &c.
-

- West Between Sec. 7 & 18, Mt. R3 E
- 11.90 a Beech 15 in. dia.
 40.00 Set thro' of. Sec. post, from which
 a Beech 6 in. dia. bran 141 E 18 lbs. dist. of
 a Do 6 " " " N 22 W 11 " "
 45.26 a Beech 18 " "
 69.08 Intersected the W. boundary 112 lbs. N. of post.
 Set a post Cor. to Sec. 7 & 18, Mt. R3 E, from which
 a Beech 20 in. dia. bran 17 E 21 lbs. dist. of
 a Do 30 " " " N 37 W 14 " "
 Land level 2nd rate, Ash, Beech &c. underg. Spice
-

- East On Rand. between Sec. 8 & 17, Mt. R3 E.
- 40.00 Set tempy. of. Sec. post
 49.10 a stream 6 lbs. wide N. South
 80.75 Intersected the N. of S. line 125 lbs. N. of post
 Land hilly 2nd rate, Ash, Beech &c. underg. Spice
-

- West Connected between Sec. 8 & 17, Mt. R3 E.
- 40.37 Set of. Sec. post at average dist. from which
 a Sugar 8 in. dia. bran 15 E 43 lbs. dist. of
 a Do 10 " " " N 29 W 26 " "

M. N. R. B. E. D. Mer. Indiana

80.75 to Sec. Corner.

North Between Sec. 7 & 8, T. 11 N. R. 3 E.

10.33 a W. Oak 15 in. dia.

40.00 Set the q. Sec. post from which
a Beech 6 in. dia. bears S 40° E 17 lvs. dist. of
a loc 7 " " " N 79° W 10 "

54.59 a Beech 24 " "

80.00 Set a post Corner to Sec. 5, 6, 7 & 8. from which
a Beech 26 in. dia. bears S 27° E 12 lvs. dist. of
a Sugar 6 " " " N 21° E 16 "
Land 1st p mile 3^d rate last p. Hilly 3^d rate
timber Ash Beech W. Oak undergrowth Spice
August 4th 1890.

East On Random Between Sec. 5 & 8, T. 11 N. R. 3 E.

40.00 Set the tempy. q. Sec. post

81.70 Intersected the N. & S. line 25 lvs. N. of post

Land hilly 1st p. mile 3^d rate last p. 2^d rate timber:
Ash Beech poplar &c. undergth Spice Briers

West On true line Between Sec. 5 & 8, T. 11 N. R. 3 E.

40.87 set a q. Sec. post at average dist. from which
a Beech 30 in. dia. bears N. 24° E 6 lvs. dist. of
a loc 24 " " " S 79° W 20 "

81.75 to Section Corner

North Between Sec. 5 & 6, T. 11 N. R. 3 E.

29.75 a Poplar 48 in. dia.

40.00 Set the q. Sec. post from which
a Hickory 10 in. dia. bears N. 63° W 23 lvs. dist. of
a Beech 15 " " " S 10° E 20 "

44.50 a Creek 15 lvs. wide Course S. W.

M.M.R. & Co. I.^o Mer. Indiana

45.38 a Sugar 8 in. dia.

81.50 Intersected the N. boundary 125 lrs. E. of one post
of 300 lrs. west of the other (on which two corners
were established, neither of the posts appear,
all the letters and figures except those in the cor.
of Sec. 32, Th. N. R. 3 E., are obliterated, but the notches
etc. on the reference trees are entire) Set a post
Cor. to Sec. 5 of 6, from which
a Hickory 10 in. dia. bears S $70^{\circ}E$ 27 lrs. dist. of
a No 10 " " S $68^{\circ}W$ 17 " "
Land hilly 3^o rate, timber W. Oak, Beech, Poplar
etc. underg. Spice, Ash, Oak, Dogwood & others.

West Between Sec. 6 & 7, M.M.R. & Co.

13.38 a Sugar 6 in. dia.

40.00 Set the qd. Sec. post from which

a Sugar 18 in. dia. bears N $53^{\circ}E$ 20 lrs. dist. of
a Beech 30 " " S $17^{\circ}W$ 20 " "

43.50 a stream 6 lrs. wide Course N.

66.61 a Beech 15 in. dia.

68.55 Intersected W. boundary 142 lrs. N. of post, set a
post Cor. to Sec. 6 & 7, from which

a Beech 7 in. dia. bears S $36^{\circ}E$ 10 lrs. dist. of
a No 24 " " N $29^{\circ}W$. 7 " "

Land very hilly 3^o rate timber ash Beech Poplar

etc. Undergrowth Spice etc. August 5th 1828

Surveyed by Basil Bently, Dep. Sur.

I certify the foregoing transcript of field notes of Town-
ship N^o. N.W. Range N^o. 3 C^o. 2^d. Mer. Indiana, has
been Comp^d. with the original notes in this Office and
found to be correct.

Surveyor General's Office
Cincinnati, May 19, 1844

C. S. Gaines
Sur. Gen.